

Link do produktu: <https://sklep.uzaby.pl/mondraker-foxy-carbon-r-29m-bluewhiteorange-2021-p-1542.html>



MONDRAKER FOXY CARBON R 29/M blue/white/orange 2021

Cena	18 799,00 zł
Dostępność	Dostępny
Czas wysyłki	48 godzin
Kod producenta	010.21081
Producent	MONDRAKER

Opis produktu

Rower poskładany, nasmarowany i wyregulowany. Wyciągasz z pudełka i jedyne co musisz przykręcić to ew. kierownica, pedała, koło, siodełko. Koszt 50 zł - wpisujemy w uwagach do zamówienia i doliczamy do kosztów zakupów ;)

DOŻYWOTNIA GWARANCJA NA RAMĘ (PO ZAREJESTROWANIU NA STRONIE PRODUCENTA) / 2 LATA NA OSPRZĘT

produkowane rozmiary

M 420mm

waga

14,5 Kg

rama

Foxy 29 Stealth Air full Carbon, Zero Suspension System, 150mm travel, Forward Geometry, aluminium CSC upper link with carbon bridge, Boost 12x148mm rear axle, tapered head tube, 73mm BSA bottom bracket, dedicated 1x drivetrain design, HHG internal cable routing, Enduro MAX sealed bearings, shock mudguard, ISCG 05, custom frame protectors. Optional Geometry kit: steering cups: +/- 1

widelec

Fox 36 29 Float FIT GRIP EVOL Performance, 160mm, tapered steerer tube, Boost 15x110mm axle, offset 44mm. Settings: 3 positions with micro adjust compression, low-speed rebound, air preload

stery

Onoff Titan tapered for 1-1/8 to 1-1/2 head tube, ACB sealed bearings, top 41.8x30.5x8x45x45, bottom 51.9x40x8x45x45

przerzutka

Sram Trigger NX Eagle, 12s, X-Actuation 1:1

manetki

Sram Trigger NX Eagle, 12s, X-Actuation 1:1

klamki hamulca

Sram G2 R, tool-free reach adjust

uchwyty

Sram NX Eagle, Boost, DUB axle, Direct mount chain ring, S/M size: 170mm

support

Sram DUB BSA, sealed bearings, 73mm

kierownica

Onoff Sulfur 1.0 double butted 6061 alloy, rise: 20mm, width: 780mm, 9 backsweep, 5 upsweep, 31.8mm barbore Onoff Desert, 1lock-on, 135mm, sizes: S/M L/XL

mostek

Onoff Sulfur FG 30mm 0°, 6061 forged alloy, 31.8mm barbore

sztyca

Onoff Pija dropper internal, diameter 31.6mm, M size 387x125mm

siodełko

SDG BEL-AIR 3.0, LPU foam, steel rails

piasta przednia

DT 370, Boost 15x110mm, IS 6 bolts

tylna piasta

DT 370, Boost 12x148mm, 3 Pawl system, IS 6 bolts

łańcuch

Sram NX Eagle, 12s, Powerlock

kaseta

Sram XG-1230, 11-50T, 12s

szprychy

DT Champion, straightpull

rafki

DT Swiss E1900 Spline 29, 30mm internal width, sleeved aluminum, tubeless ready, 28 spokes

obudowa

Maxxis Minion DHF 29x2.5 WT, tubeless ready, 3C MAXX TERRA compound, EXO+ protection, 120TPI, folding bead

zamówienie numer

010.21081

amortyzator

Fox Float DPX2 LV EVOL Performance, 205x62.5mm. Settings: compression 3 positions lever, low-speed rebound, air preload. Trunnion top mount, 22.2x10mm bottom bushings

przedni hamulec

Sram G2 R, 4-piston caliper, Centerline 200mm IS 6 bolts one-piece rotor, steel-backed organic pads

tylny hamulec

Sram G2 R, 4-piston caliper, Centerline 180mm IS 6 bolts one-piece rotor, steel-backed organic pads

tylna obudowa

Maxxis Aggressor 29x2.3, tubeless ready, dual compound, Exo protection, 60TPI, folding bead

regulacja amortyzatora

Light compression, extralight rebound, air volume spacer 0.6

korba

32T, steel, X-Sync 2

mocowanie przerzutki

Mondraker M068

Produkt posiada dodatkowe opcje:

ROWERY: M